

# MRC Holland Support

Support > Help Centre > MLPA & Coffalyser.Net > Coffalyser.Net Data Analysis Software > Data Analysis > Fragment Analysis > What size markers are available in Coffalyser.Net?

---

## What size markers are available in Coffalyser.Net?

This article was retrieved from support.mrcholland.com on Thursday, 28th March 2024.

This article lists the size markers available in Coffalyser.Net™ and their defined fragment sizes. This list may be used to determine if Coffalyser.Net is able to recognise your size marker of choice.

### Warning

The Applied Biosystems GeneScan 500 size marker with LIZ or ROX label is the only marker permitted for use with IVD-registered probemixes. See the [\(MS-\)MLPA General Protocol](#) for details. In addition, some size markers are not suitable for the vast majority of MLPA experiments, e.g. because their fragment range is too limited. Use the size marker recommended in the (MS-)MLPA General Protocol for your capillary electrophoresis device if possible.

## Frequently used size markers



E  
x  
a  
m  
p  
l  
e  
s  
o  
f  
t  
w  
a  
r  
d  
s

5  
6  
7  
8  
9  
0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
0  
,

,  
1  
5  
0

,  
1  
8  
0

,  
2  
0  
0

,  
2  
1  
4

,  
2  
2  
0

,  
2  
4  
0

,  
2  
5  
0

,  
2  
6  
0

,  
2  
8  
0

,  
3  
0  
0

,  
3  
1  
4

,  
3  
2  
0

,  
3  
4  
0

,  
3  
6  
0

,  
3  
8  
0

,  
4  
0  
0

,  
4  
1  
4

,  
4  
2  
0

,  
4  
4  
0

,  
4  
6  
0

,  
4  
8  
0

,  
5  
0  
0

,  
5  
1  
4

,  
5  
2  
0

,  
5  
4  
0

,  
5  
6  
0

,  
5  
8  
0

**Examp  
les  
and  
ard  
s**

:

5

5

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

<sup>1</sup> Fragments between brackets are recognised but are not used by Coffalyser.Net to determine the sizing curve, e.g. because their length is unstable.

<sup>2</sup> Manufacturers may change fragment sizes. Please confirm the sizes if you experience difficulties with size calling.

## Less common size markers

Examples:

Ø

8

5

5

8

0

,

9

0

0

1

0

0

,

1

2

0

,

1

4

0

,

1

6

0

,

1

8

0

,

1

9

0

,

2

0

,

2

2

0

,

2

4

0

,

2

5

0

,

2

6

0

,

2

8

0

,

2

9

0

,

3

0

,

3

2

0

,

3

4

0

,

3

6

0

,

3

8

0

,

4

0

,

4

2

0

,

4

4

0

,

4

6

0

,

4

8

0

,

5

0

,

0

Examp  
les a  
nd a  
rds:

66000 (90%  
at 000  
of 2000  
0:  
870  
, 190  
, 200  
, 220  
, 250  
, 270  
, 290  
, 300  
, 310  
, 330  
, 350  
, 360  
, 380  
, 400

Examples see [W3C Standards](#)

**Examp  
les a  
nd a  
rds:**

6600 (g  
k a  
00  
e  
50  
T90  
0  
:  
200  
,  
225  
,  
250  
,  
275  
,  
300  
,  
310  
,  
325  
,  
350  
,  
375  
,  
400  
,  
425  
,  
450  
,  
475  
,  
500  
,  
525  
,  
550  
,  
575  
,  
600  
,  
610  
,  
625  
,  
650  
,  
675  
,  
700  
,  
725  
,  
750  
,  
775  
,  
800  
,  
825  
,  
850  
,  
875  
,

Examp  
les a  
nd ar  
ds:

G

6

E

T

8

B

5

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

</

Examp  
les a  
nd ar  
ds:

5

9

1

2

5

6

9

3

9

0

0

0

6

.

1

3

6

,

2

6

2

,

2

9

3

,

3

1

7

,

4

3

9

,

5

5

7

,

6

9

2

,

6

9

5

,

9

4

6

6

5

2

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

ପ୍ରାଚୀନ କବିତା ଓ ଲେଖଣି ପରିଚୟ । ୦୧୦ - ୦୨୦ - ୦୩୦ - ୦୩୫୦ - ୦୪୦ - ୦୫୦

Examp  
les a  
nd ar  
ds:

5

9

0

0

6

0

)

0

9

5

5

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

Examples of assessment standards

• (250) • 300 • 3400 • 3500 • 4000 • 4500 • 4900 • 5000

Examp  
les a  
nd a  
rds:

G  
5  
0  
0  
0  
5  
,,  
1  
0  
0  
,,  
1  
2  
5  
,,  
1  
5  
0  
,,  
2  
0  
0  
,,  
2  
5  
0  
,,  
3  
0  
0  
,,  
3  
5  
0  
,,  
4  
0  
0  
,,  
4  
5  
0  
,,  
4  
7  
5  
,,  
5  
0  
0  
,,  
5  
5  
0  
,,  
6  
0  
0  
,,  
6  
5  
0  
,,  
7  
0  
0  
,,  
7  
5  
0  
,,  
8  
0  
0  
,,  
8  
5  
0  
,,  
9  
0  
0  
,,  
9  
5  
0  
,,  
1  
0  
0  
0

Ex  
am  
ples  
a  
n  
d  
ar  
ds:

G  
5  
9  
0  
0  
7  
0  
,,  
8  
0  
,,  
9  
0  
,,  
1  
0  
0  
,,  
1  
2  
0  
,,  
1  
4  
0  
,,  
1  
6  
0  
,,  
1  
8  
0  
,,  
1  
9  
0  
,,  
2  
0  
0  
,,  
2  
2  
0  
,,  
2  
4  
0  
,,  
2  
6  
0  
,,  
2  
8  
0  
,,  
3  
0  
0  
,,  
3  
2  
0  
,,  
3  
4  
0  
,,  
3  
6  
0  
,,  
3  
8  
0  
,,  
4  
0  
0  
,,  
4  
2  
5  
,,  
4  
5  
0  
,,  
4  
7  
5  
,,  
4  
9  
0  
,,  
5  
0  
0

Ex  
am  
ples  
a  
s  
e  
n  
d  
a  
r  
d  
s:

G  
3  
5  
0  
0  
0  
5  
0  
)  
,  
7  
5  
,  
1  
0  
0  
,  
1  
3  
9  
,  
1  
5  
0  
1  
6  
0  
,  
2  
0  
0  
,  
2  
5  
0  
,  
3  
0  
0  
,  
3  
4  
0  
,  
3  
5  
0  
,  
4  
0  
0  
,  
4  
5  
0  
,  
4  
9  
0  
,  
5  
0  
0

Examp  
les a  
nd a  
rds:

8

0

5

6

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

Ex  
am  
ples  
a  
n  
d  
a  
r  
d  
s:

0  
9  
5  
0  
0  
0  
,,

1  
0

,

1  
4  
0

,

1  
5  
0

,

1  
6  
0

,

1  
9  
0

,

2  
0  
0

,

2  
1  
0

,

2  
5  
0

,

2  
9  
0

,

3  
0  
0

,

3  
1  
0

,

3  
4  
0

,

3  
5  
0

,

4  
0  
0

,

4  
5  
0

,

5  
0  
0

Examp  
les a  
nd a  
rds:

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

Ex  
am  
ples  
a  
v  
a  
s  
e  
n  
d  
a  
r  
d  
s:

M  
9  
0  
(  
8  
0  
)  
,

(  
9  
0  
)

,  
1  
0  
0

,  
1  
2  
0

,  
1  
4  
0

,  
1  
6  
0

,  
1  
8  
0

,  
1  
9  
0

,  
2  
0  
0

,  
2  
2  
0

,  
2  
4  
0

,  
2  
6  
0

,  
2  
8  
0

,  
3  
0  
0

,  
3  
2  
0

,  
3  
4  
0

,  
3  
6  
0

,  
3  
8  
0

,  
4  
0  
0

,  
4  
2  
0

,  
4  
4  
0

,  
4  
6  
0

,  
4  
8  
0

,  
5  
0  
0

Ex  
am  
ples  
a  
n  
d  
a  
r  
d  
s:

M  
R  
C  
5  
6  
8

,  
7  
8

,  
8

7

,  
(  
9  
8

)

,  
1  
0

,  
1  
9

,  
1  
2

,  
4

,  
1  
2

,  
7

,  
1  
6

,  
0

,  
1  
8

,  
0

,  
2  
0

,  
0

,  
4

,  
2  
0

,  
7

,  
2  
4

,  
(  
2  
8

)

,  
3  
0

,  
0

,  
5

,  
3  
0

,  
9

,  
3  
4

,  
0

,  
(  
3  
8

)

,  
4  
0

,  
0

,  
4

,  
0

,  
4

,  
4

,  
(  
4  
6

)

,  
(  
4  
8

)

,  
5  
0

,  
0

,  
5

,  
1

,  
5

,  
0

Examp  
les a  
nd ar  
ds:

B  
0

X

3

0

0

0

.

1

1

0

,

1

3

0

,

1

5

0

,

1

7

0

,

1

9

0

,

2

0

0

,

2

1

0

,

2

3

0

,

2

7

0

,

2

9

0

,

3

0

,

3

1

0

,

3

3

0

,

3

5

0

,

3

7

0

,

3

9

0

,

4

1

0

,

4

3

0

,

4

5

0

,

4

7

0

,

4

9

0

,

5

0

,

0

,

Ex  
am  
ples  
a  
n  
d  
ar  
ds:

s  
a  
l  
s  
a  
5  
9  
0

.

1  
0  
0

,

1  
2  
0

,

1  
2  
4

,

1  
2  
7

,

1  
6  
0

,

2  
0  
0

,

2  
4  
0

,

3  
0  
0

,

3  
0  
5

,

3  
0  
9

,

3  
4  
0

,

4  
0  
0

,

4  
4  
0

,

(  
4  
7  
0  
)

,

5  
0  
0

,

5  
0  
6

,

5  
1  
1

,

5  
5  
0

Examp  
les a  
nd a  
rds:

S

6

9

B

R

D

A

S

0

Z

8

S

I

A

O

D

a

k

a

g

j

t

4

0

0

1

6

0

,

1

8

0

,

1

9

0

,

2

0

,

2

2

0

,

2

4

0

,

2

6

0

,

2

8

0

,

3

0

0

,

3

2

0

,

3

4

0

,

3

6

0

,

3

8

0

,

4

0

,

4

2

0

Examples of assessment standards

Examples see [standards](#).

<sup>1</sup> Fragments between brackets are recognised but are not used by Coffalyser.Net to determine the sizing curve, e.g. because their length is unstable.

<sup>2</sup> Manufacturers may change fragment sizes. Please confirm the sizes if you

experience difficulties with size calling.

Tags

Coffalyser.Net

---

### Disclaimer

---

*The information provided in this material is correct for the majority of our products. However, for certain applications, the instructions for use may differ. In the event of conflicting information, the relevant instructions for use take precedence.*